


## Specification Sheet

Part Number: 553-50075



Heat Shrink Labels, Single Side, 2-Slit, .125" (3.17mm), PO-X, White, 3000/box

**Article Number**

553-50075

**Type**

HST3-1WH-2S

**Color**

White (WH)

**Features & Benefits**

- Slide Slit and optional center slits for easy wire insertion.
- Smooth surface for clean and legible printing.
- Supplied on a ladder style carrier so that markers can be kitted after printing.
- A 3:1 shrink ratio means fewer skews as each marker covers a wider range of wire diameters.

**Quantity Per**

box

**Product Description**

HellermannTyton's ShrinkTrak heat shrinkable markers make it easy to mark wire, cable and other components. The military approved heat shrink tubing is flattened and assembled in a ladder style carrier system for easy printing using a thermal transfer printer. The ladder system creates a kit of markers that can be sorted, removed and applied in any order thus saving time, labor and speeding production.

**Short Description**

Heat Shrink Labels, Single Side, 2-Slit, .125" (3.17mm), PO-X, White, 3000/box

**Global Part Name**

HST3-1WH-2S-PO-X-WH

**Variant**

Thin-Wall

**Width W (Imperial)**

0.63

**Width W (Metric)**

16.0

**Thickness T (Imperial)**

.003

**Thickness T (Metric)**

.0762

**Height H (Imperial)**

0.235

**Height H (Metric)**

5.69

**Width of Liner (Metric)**

76.2

**Width of Liner (imperial)**

3.0

**Outside Diameter OD(Imperial)**

0.125

**Outside Diameter OD(metric)**

3.2

**Outside Diameter Max(Imperial)**

0.125

**Outside Diameter Max (metric)**

3.2

**Wall Thickness WT (Imperial)**

0.0209

**Wall Thickness WT (Metric)**

0.53

**Material**

Polyolefin, cross-linked (PO-X)

**Material Shortcut**

PO-X

**US MIL SPEC**

SAE-AS81531

MIL-STD-202G Method 215K

AMS-DTL-23053/5 Class 1 and 3

**Flammability**

UL 224 VW-1

**Halogen free**

No

**Operating Temperature (Metric)**

-67°F to +275°F (-55°C to +135°C)

**Reach Complaint(Article 33)**

Yes

**ROHS Complaint**

Yes

**Certification/Specification WEB**

CEN

**Package Quantity(Imperial)**

3000

**Package Quantity (Metric)**

3000

**Customs Number**

3926909987

**Content Unit(BMEcat)**

pack

<b>Labels per Column</b>	1
<b>Labels per Row</b>	3
<b>Weight (Metric)</b>	1.176
<b>Weight (Imperial)</b>	2.56