



## Part No. 9000984-XLPDNB External NB-IoT/LoRa/Sigfox Antenna

790-960MHz



# External NB-IoT/LoRa/Sigfox Antenna

790/960 MHz

#### **KEY BENEFITS**

#### **Quicker Time-to-Market**

Standard part means fewer design changes Simple implementation Easy Assembly using RP-SMA or SMA

#### **Best in Class Performance**

External antennas are designed to maintain high efficiency in a variety of device configurations

## **Superior Network Coverage**

Better network coverage means more reliable wireless connections

## **Great Flexibility**

Standard connector makes for easy set-up

## **APPLICATIONS**

- Gateways
- Metering
- · IoT devices
- TVs

Ethertronics' series of External Antennas deliver on the key needs of device designers for higher functionality and performance in access points.

Small form factor and wall mount fixture, ideal to offer outdoor areas coverage.

### **Extensive RF Experience**

Our external antennas are supported by documentation, and when needed, by the expertise of RF engineers who have integrated hundreds of antenna designs into wireless devices.

## **Global Operations & Design Support**

Ethertronics' global operations encompass an integrated network of design centers that provide local customer support.

## **Electrical Specifications**

Typical Characteristics in Free Space and on a connected to a 200x200mm ground plane and under PC/ABS plastic cover

	Free Space			200x250mm PCB		
Frequency bands	790MHz	868MHz	915MHz	790MHz	868MHz	915MHz
Return loss (dB)	<-4	<-17	<-9	<-4	<-13	<-13
Efficiency (%)	40	85	75	40	80	82
Peak Gain (dBi)		2.2			3.4	
Impedance (Ω)	50					
Working Temperature	-40°C to +120°C					

## **Mechanical Specifications**

Dimensions	195 mm x 12.98 mm
Connector	SMA Male (RP-SMA available upon request)
Hinge	Foldable 90 degrees at the hinge level
Color	Black (other colors available upon request)




External NB-IoT/LoRa/Sigfox antenna specifications
Ethertronics produces a wide variety of standard and custom antennas to meet user needs.

Below are the typical performances


#### **Return loss**

Typical Characteristics (measurements taken in Free Space and on a 200 x 200 mm ground plane)



## **Efficiency**

Typical Characteristics (measurements taken in Free Space and on a 200 x 200 mm ground plane)



\*All dimensions provided in this document are for informational purposes only




External NB-IoT/LoRa/Sigfox antenna specifications
Ethertronics produces a wide variety of standard and custom antennas to meet user needs.

Below are the typical performances

## **Radiation pattern**

Typical Characteristics (measurements taken in Free Space and on a 200 x 200 mm ground plane)

#### At 790MHz



## At 950MHz

